

Test Report

號碼(No.): CE/2015/B4190A 日期(Date): 2015/12/03 頁數(Page): 1 of 13

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

TIN PLATED COPPER WIRE (NICKEL UNDER TIN) (電鍍鎳錫銅線) 樣品名稱(Sample Description)

收件日期(Sample Receiving Date) 2015/11/24

2015/11/24 TO 2015/12/01 測試期間(Testing Period)

請見下一頁 (Please refer to next pages). 測試結果(Test Results) :



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.1Ferms-and-Conditions.2Ferms



Test Report

號碼(No.): CE/2015/B4190A 日期(Date): 2015/12/03 頁數(Page): 2 of 13

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

測試結果(Test Results)

測試部位(PART NAME)No.1 : 銀色金屬 (含鍍層) (SILVER COLORED METAL (INCLUDING THE PLATING LAYER))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測極限值	結果(Result)
(1000 100mb)	(01110)	(110 0110 11)	(MDL)	No. 1
鏋 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n. d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n. d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)(#2)	μg/cm²	参考IEC 62321-7-1:2015,以UV-VIS檢 測. / With reference to IEC 62321- 7-1:2015 and performed by by UV- VIS.	0. 10	n. d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C: 2007方法, 以液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n. d.
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	參考US EPA 3550C: 2007方法, 以液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n. d.



Test Report

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD.

桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

號碼(No.): CE/2015/B4190A



頁數(Page): 3 of 13

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg	参考IEC 62321-8 (111/321/CD),以氣相層析儀/質譜儀檢測之. / With reference to IEC 62321-8 (111/321/CD). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	參考IEC 62321-8 (111/321/CD),以氣相層析儀/質譜儀檢測之. / With reference to IEC 62321-8 (111/321/CD). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	參考IEC 62321-8 (111/321/CD),以氣相層析儀/質譜儀檢測之. / With reference to IEC 62321-8 (111/321/CD). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	參考IEC 62321-8 (111/321/CD),以氣相層析儀/質譜儀檢測之. / With reference to IEC 62321-8 (111/321/CD). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg	參考IEC 62321-8 (111/321/CD),以氣相層析儀/質譜儀檢測之. / With reference to IEC 62321-8 (111/321/CD). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg	参考IEC 62321-8 (111/321/CD),以氣相層析儀/質譜儀檢測之. / With reference to IEC 62321-8 (111/321/CD). Analysis was performed by GC/MS.	50	n. d.

日期(Date): 2015/12/03



Test Report

號碼(No.): CE/2015/B4190A 日期(Date): 2015/12/03 頁數(Page): 4 of 13

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg	參考IEC 62321-8 (111/321/CD),以氣相層析儀/質譜儀檢測之. / With reference to IEC 62321-8 (111/321/CD). Analysis was performed by GC/MS.	50	n. d.
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α – HBCDD, β – HBCDD, γ – HBCDD) (CAS No.: 25637–99–4 and 3194–55–6 (134237–51–7, 134237–50–6, 134237–52–8))	mg/kg	參考IEC 62321: 2008方法,以氣相層析/質譜儀檢測. / With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n. d.
鹵素 / Halogen				
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	参考BS EN 14582:2007,以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n. d.
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg		50	n. d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n. d.
鹵素(碘)/ Halogen-Iodine(I)(CAS No.: 14362-44-8)	mg/kg		50	n. d.



Test Report

號碼(No.): CE/2015/B4190A 日期(Date): 2015/12/03 頁數(Page): 5 of 13

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值	結果(Result)
(Test Tiems)	(UIII t)	(mc triod)	(MDL)	No. 1
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg] [5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg] [5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg] [5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg] [5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg] [5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg	1	5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg	 参考IEC 62321-6: 2015方法,以氣相	5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg	層析/質譜儀檢測. / With reference	5	n. d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	to IEC 62321-6: 2015 and performed	-	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	by GC/MS.	5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg] [5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg	1	5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	1	5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.



Test Report

號碼(No.): CE/2015/B4190A 日期(Date): 2015/12/03 頁數(Page): 6 of 13

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. (#2) =
 - a. 當六價鉻結果大於0.13 µg/cm²,表示樣品表層含有六價鉻. / The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).
 - b. 當六價鉻結果為n.d. (濃度小於0.10 μg/cm²),表示表層不含六價鉻. / The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based
 - c. 當六價鉻結果介於 0.10 及 0.13 μg/cm² 時,無法確定塗層是否含有六價鉻. / The result between 0.10 μg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.
- 6. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量. (The samples was/were analyzed on behalf of the applicant as mixing sample in one testing. The above results was/were only given as the informality value.)

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗 層材料中不得超過1µg/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.)

document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www Inis document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at http://www.sg.com/en/Tems-and-Conditions.aspx. Attention is and, for electronic Doraments, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sg.com/en/Tems-and-Conditions/Ferm



Test Report

號碼(No.): CE/2015/B4190A

日期(Date): 2015/12/03


頁數(Page): 7 of 13

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD.

桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang



Note** (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



Test Report

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.


號碼(No.): CE/2015/B4190A

頁數(Page): 8 of 13

全氟辛酸/全氟辛烷磺酸分析流程圖 / PFOA/PFOS analytical flow chart

日期(Date): 2015/12/03

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

號碼(No.): CE/2015/B4190A


頁數(Page): 9 of 13

可塑劑分析流程圖 / Analytical flow chart of phthalate content

日期(Date): 2015/12/03

- 測試人員:徐毓明 / Name of the person who made measurement: Andy Shu
- 測試負責人: 張啟興 / Name of the person in charge of measurement: Troy Chang

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號 NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.

號碼(No.): CE/2015/B4190A




頁數(Page): 10 of 13

六溴環十二烷分析流程圖 / HBCDD analytical flow chart

日期(Date): 2015/12/03

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人: 張啟興 / Name of the person in charge of measurement: Troy Chang





Test Report

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.


號碼(No.): CE/2015/B4190A

頁數(Page): 11 of 13

鹵素分析流程圖 / Analytical flow chart of halogen content

日期(Date): 2015/12/03

- 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention at drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document development at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document development at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document development at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document development at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document end this document and this document are the company and the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document are the company and the company an



Test Report

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號

NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C.



頁數(Page): 12 of 13


多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

日期(Date): 2015/12/03

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人: 張啟興 / Name of the person in charge of measurement: Troy Chang 初次測試程序 / First testing process ----選擇性篩檢程序 / Optional screen process ••••••

確認程序 / Confirmation process - · - · ▶

號碼(No.): CE/2015/B4190A






Test Report

香麒精密電子有限公司 CTS ELECTRONIC CO., LTD. 桃園市楊梅區富聯路356巷1號 NO. 1, LANE 356, FU LIEN RD., YANG MEI, TAOYUAN CITY, TAIWAN, R. O. C. * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

號碼(No.): CE/2015/B4190A 日期(Date): 2015/12/03 頁數(Page): 13 of 13

CE/2015/B4190



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions./Ferms